Solar activity was very low through the period with only a few low-level B-class flares observed from Regions 2610 (N16, L=018, class/area Dao/050 on 17 November), and 2611 (N03, L=291, class/area Cao/020 on 18 November). No Earth-directed coronal mass ejections (CME) were observed in available satellite imagery during the reporting period.

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit was at high levels throughout the period (14-20 November). The maximum flux of 19,442 pfu was observed at 15/1530 UTC.

Geomagnetic field activity was at quiet to unsettled levels on 14-15 November in response to waning influence from a negative polarity coronal hole high speed stream (CH HSS). Solar wind speed steadily decreased from a peak of 681 km/s to period ending values below 400 km/s. Total field ranged between 1 and 7 nT while the Bz component reached a maximum southward deviation of -6 nT. Quiet conditions were observed on 16-20 November under an ambient solar wind environment.

Space Weather Outlook 21 November - 17 December 2016

Solar activity is expected to be at very low levels with a slight chance for C-class flares over the forecast period.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at normal to moderate levels with high levels likely on 22 November - 07 December, and 10-17 December due to recurrent CH HSS influence.

Geomagnetic field activity is expected to be at unsettled to active levels on 21-29 November and 07-11 December, with G1 (Minor) geomagnetic storm levels likely on 22-24 November, due to recurrent CH HSS effects.



Daily Solar Data

	Radio	Sun	Sunspot		X-ray				Flares			
	Flux	spot	Area	Bac	ekground		X-ray	<u>y</u>		O	ptical	
Date	10.7cm	No.	(10 ⁻⁶ hemi.	.)	Flux		C M	X	S	1	2 3	4
14 November	77	26	30	A7.0	0	0	0	1	0	0	0	0
15 November	77	29	30	A7.9	0	0	0	1	0	0	0	0
16 November	81	18	40	A7.9	0	0	0	0	0	0	0	0
17 November	79	27	60	A7.3	0	0	0	0	0	0	0	0
18 November	78	28	30	A6.8	0	0	0	0	0	0	0	0
19 November	77	22	20	A6.8	0	0	0	1	0	0	0	0
20 November	76	11	10	A6.6	0	0	0	0	0	0	0	0

Daily Particle Data

		Proton Fluen otons/cm ² -da			_	Electron Flue etrons/cm ² -da	
Date	>1 MeV	>10 MeV	>100 MeV		>0.6 MeV	>2MeV	>4 MeV
14 November	3.	1e+06	1.5e+04	3.	5e+03	5.0€	e+08
15 November	1.9	9e+06	1.4e + 04	3.	5e+03	7.1€	e+08
16 November	2.2	2e+06	1.5e+04	3.	6e+03	6.26	e+08
17 November	1.5	5e+06	1.5e+04	3.	5e+03	2.66	e+08
18 November	9.0	6e+05	1.5e+04	3.	7e+03	2.3ϵ	e+08
19 November	1.4	4e+06	1.5e+04	3.	4e+03	2.0€	e+08
20 November	1.7	1e+06	1.5e+04	3.	6e+03	8.66	e+07

Daily Geomagnetic Data

	M	iddle Latitude	F	ligh Latitude	Estimated			
	F	redericksburg		College	Planetary			
Date	A K-indices		A	K-indices	A	K-indices		
14 November	8	0-2-2-3-2-2-1-3	18	2-1-3-5-4-4-2-2	11	2-3-3-3-3-2-3		
15 November	7	3-3-1-2-2-1-1-0	8	2-2-0-3-4-2-0-0	7	3-2-1-2-3-1-1-1		
16 November	3	1-1-0-0-1-1-1-2	2	0-0-1-2-0-1-0-0	4	1-1-1-1-0-1-2-2		
17 November	2	1-0-1-0-1-1-1	2	1-0-1-0-0-1-1-1	4	2-1-0-0-0-1-2-1		
18 November	3	2-0-0-0-2-2-0-0	1	0-0-0-1-0-1-0-0	3	2-1-0-0-0-2-1-0		
19 November	2	0-0-1-1-1-1-1	0	0-0-0-1-0-0-0	3	0-0-0-1-1-1-1		
20 November	2	0-1-1-0-2-0-0-1	2	0-0-0-2-2-1-0-0	2	0-1-1-1-1-1		




Alerts and Warnings Issued

Date & Time of Issue UTC		Pate & Time f Event UTC
14 Nov 0056	EXTENDED WARNING: Geomagnetic K = 5	13/2003 - 14/0600
14 Nov 0501	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	13/0950
14 Nov 2248	WARNING: Geomagnetic K = 4	14/2250 - 15/0300
15 Nov 0500	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	13/0950
16 Nov 0500	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	13/0950
17 Nov 0500	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	13/0950
18 Nov 0500	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	13/0950
19 Nov 0500	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	13/0950
19 Nov 2107	WATCH: Geomagnetic Storm Category G1 predicted	l
20 Nov 1113	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	13/0950
20 Nov 2100	WATCH: Geomagnetic Storm Category G1 predicted	1



Twenty-seven Day Outlook



	Radio Flux	•	Largest	_	Radio Flux	-	-
Date	10.7cm	A Index	Kp Index	Date	10.7cm	A Index	Kp Index
21 Nov	75	8	3	05 Dec	80	5	2
22	78	20	5	06	80	5	2
23	80	35	5	07	80	15	4
24	80	30	5	08	78	12	4
25	80	20	4	09	76	18	4
26	82	12	4	10	76	20	4
27	82	10	3	11	76	10	3
28	82	8	3	12	76	5	2
29	82	8	3	13	76	5	2
30	82	5	2	14	76	5	2
01 Dec	82	5	2	15	75	5	2
02	84	5	2	16	75	5	2
03	84	5	2	17	75	5	2
04	84	5	2				



Energetic Events

	Time			X-	X-ray Optical Informatio				P	eak	Sweep Free		
			Half		Integ	Imp/	Location	Rgn	Radi	o Flux	Intensity		
Date	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II	IV	

No Events Observed

Flare List

				Optical					
	Time		X-ray	Imp/	Location	Rgn			
Begin	Max	End	Class	Brtns	Lat CMD	#			
2337	2341	2344	B1.2	SF	N14E03	2610			
0028	0035	0042	B6.1			2610			
1653	1658	1701	B4.2	SF	N14W08	2610			
2041	2050	2113	B1.8						
0710	0715	0720	B1.9	SF	N05E40	2611			
2246	2250	2254	B1.1			2611			
	2337 0028 1653 2041 0710	Begin Max 2337 2341 0028 0035 1653 1658 2041 2050 0710 0715	Begin Max End 2337 2341 2344 0028 0035 0042 1653 1658 1701 2041 2050 2113 0710 0715 0720	Begin Max End Class 2337 2341 2344 B1.2 0028 0035 0042 B6.1 1653 1658 1701 B4.2 2041 2050 2113 B1.8 0710 0715 0720 B1.9	Time X-ray Imp/ Begin Max End Class Brtns 2337 2341 2344 B1.2 SF 0028 0035 0042 B6.1 1653 1658 1701 B4.2 SF 2041 2050 2113 B1.8 0710 0715 0720 B1.9 SF	Time X-ray Imp/ Location Begin Max End Class Brtns Lat CMD 2337 2341 2344 B1.2 SF N14E03 0028 0035 0042 B6.1 1653 1658 1701 B4.2 SF N14W08 2041 2050 2113 B1.8 0710 0715 0720 B1.9 SF N05E40			



Region Summary

	Location	on	Su	inspot C	haracte	eristics]	Flares	S			
		Helio	Area	Extent	Spot	Spot	Mag	Σ	K-ray			O	ptica	ıl	
Date	Lat CMD	Lon	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regio	on 2606												
03 Nov	N12E61	107	10	1	Axx	1	A								
04 Nov	N11E50	105	10	1	Axx	1	A								
05 Nov	N11E36	106	10	1	Axx	1	A								
06 Nov	N10E24	104	10	1	Axx	1	A								
07 Nov	N11E10	105	10	1	Bxo	2	В								
08 Nov	N11W04	106	plage												
09 Nov	N11W18	107	plage												
10 Nov	N11W32	108	plage												
11 Nov	N11W46	108	plage												
12 Nov	N11W60	109	plage												
13 Nov	N11W74	110	plage												
14 Nov	N11W88	111	plage												
			15-					0	0	0	0	0	0	0	0
Crossed	West Lim	h						Ü		Ü	Ü				Ü
	e heliograp		gitude: 1	06											
11050100	e memograp	101	811010101 1												
		Regio	on 2608												
11 Nov	S07W60	122	20	5	Bxo	3	В								
12 Nov	S08W74	123	30	6	Bxo	3	В								
13 Nov	S08W85	121	0	1	Axx	1	A								
								0	0	0	0	0	0	0	0
Crossed	West Lim	b.													
	e heliograp		gitude: 1	22											
		Regio	on 2609												
12 Nov	S08W00	49	30	3	Bxo	2	В								
13 Nov	S09W15	51	20	3	Cro	4	В								
14 Nov	S08W30	53	10	4	Bxo	2	В								
15 Nov	S08W46	56	10	5	Bxo	2	В								
16 Nov	S08W60	57	plage												
17 Nov	S08W74	57	plage												
18 Nov	S08W88	58	plage												
								0	0	0	0	0	0	0	0
Crossed	West Lim	b.													

Crossed West Limb. Absolute heliographic longitude: 49



Region Summary - continued

	Location	on	Sunspot Characteristics					Flares							
		Helio	Area	Extent	Spot	Spot	Mag	>	K-ray			O	ptica	ıl	
Date	Lat CMD	Lon	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regi	on 2610												
12 Nov	N15E27	22	30	3	Cro	3	В								
13 Nov	N14E15	21	20	3	Cro	3	В				1				
14 Nov	N14W00	23	20	4	Bxo	4	В				1				
15 Nov	N14W13	23	20	4	Cro	7	В				1				
16 Nov	N15W22	19	40	6	Dai	8	В								
17 Nov	N16W35	18	50	6	Dao	6	В								
18 Nov	N15W48	17	10	5	Bxo	5	В								
19 Nov	N15W59	16	10	1	Axx	1	A								
20 Nov	N15W73	17	plage												
								0	0	0	3	0	0	0	0
Still on	Disk.														
Absolut	e heliograp	hic lon	igitude: 2	3											
		Regi	on 2611												
17 Nov	N03E54	289	10	1	Hrx	1	A								
18 Nov	N03E39	291	20	3	Cao	3	В								
19 Nov	N03E29	288	10	1	Axx	1	A				1				
20 Nov	N04E17	287	10	1	Axx	1	A								
								0	0	0	1	0	0	0	0

Still on Disk. Absolute heliographic longitude: 287




Recent Solar Indices (preliminary) Observed monthly mean values

-	<u> </u>	Sunspot N	lumbers			Radio	Flux	Geoma	onetic
	Observed values	•		th values		Penticton		Planetary	_
Month	SEC RI	RI/SEC	SEC		-	10.7 cm	Value	Ap	Value
Wionui	BEC RI	IM/BEC	<u> </u>			10.7 CIII	varae		varae
NT 1	101.0	62.2	0.60	2014	7	1550	107.4	10	10.1
November		62.2	0.69	97.9	56.8				10.1
December	120.0	67.7	0.65	95.2	55.3	3 158.7	137.0	12	10.5
				2015					
January	101.2	55.8	0.66	92.1	53.6	5 141.7	135.8	10	11.0
February	70.6	40.0	0.63	88.3	51.7				11.5
March	61.7	32.7	0.62	84.2	49.3				12.0
1,141,011	01.7	32.7	0.02	02	1710	120.0	101.2	1,	12.0
April	72.5	45.2	0.75	80.5	47.3	129.2	127.3	12	12.4
May	83.0	53.3	0.71	77.5	45.7	120.1	123.3	9	12.7
June	77.3	39.9	0.53	73.1	43.3	123.2	119.5	14	13.0
July	68.4	39.5	0.58	68.2	41.0	107.0	116.0	10	13.1
August	61.6	38.6	0.63	65.5	39.8	3 106.2	113.3	16	13.1
September	72.5	47.2	0.65	64.0	39.5	102.1	110.8	16	12.8
October	59.5	38.2	0.62	61.8	38.6		107.9		12.5
November		37.3	0.61	59.0	36.7				12.5
December	54.1	34.8	0.64	55.1	34.7	112.8	102.5	15	12.5
				2016					
January	50.4	34.2	0.67	51.4	32.6	5 103.5	99.9	10	12.3
February	56.0	33.8	0.61	49.6	31.5		98.1		12.0
March	40.9	32.5	0.80	47.7	30.3				11.8
March	1 0.7	32.3	0.00	- 7.7	30.2))1.0	70.0	11	11.0
April	39.2	22.7	0.58	45.0	28.7	93.4	95.3	10	11.8
May	48.9	30.9	0.64			93.1		12	
June	19.3	12.3	0.65			81.9		9	
July	36.8	19.5	0.53			85.9		10	
August	50.4	30.4	0.60			85.0		10	
September	37.4	26.8	0.72			87.8		16	
_									
October	30.0	20.2	0.67			86.1		16	

Note: Values are final except for the most recent 6 months which are considered preliminary. Cycle 24 started in Dec 2008 with an RI=1.7.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 14 November 2016

The proton flux plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by the SWPC Primary GOES satellite, near West 75, for each of three energy thresholds: greater than 10, 50, and 100 MeV.


The electron flux plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV by the SWPC Primary GOES satellite.

The Hp plot contains the five minute averaged Hp magnetic field component in nanoteslas (nT) as by the SWPC Primary GOES satellite. The Hp component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

The Estimated 3-hour Planetary Kp-index is derived at the NOAA Space Weather Prediction Center using data from the following ground-based magnetometers: Boulder, Colorado; Chambon la Foret, France; Fredericksburg, Virginia; Fresno, California; Hartland, UK; Newport, Washington; Sitka, Alaska. These data are made available thanks to the cooperative efforts between SWPC and data providers around the world, which currently includes the U.S. Geological Survey, the British Geological Survey, and the Institut de Physique du Globe de Paris.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are 'global' parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots Week Beginning 14 November 2016

The x-ray plots contains five-minute averages x-ray flux (Watt/ m^2) as measure by the SWPC primary GOES X-ray satellite, usually at West 105 longitude, in two wavelength bands, 0.05 - 0.4 and 0.1 - 0.8 nm. The letters A, B, C, M and X refer to x-ray event levels for the 0.1 - 0.8 nm band.

The proton plot contains the five-minute averaged integral flux units (pfu = protons/cm 2 -sec -sr) as measured by the primary SWPC GOES Proton satellite for each of the energy thresholds: >1, >10, >30, and >100 MeV. The P10 event threshold is 10 pfu at greater than 10 MeV.



Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

http://spaceweather.gov/weekly/ -- Current and previous year

http://spaceweather.gov/ftpmenu/warehouse.html -- Online achive from 1997

http://spaceweather.gov/ftpmenu/ -- Some content as ascii text

http://spaceweather.gov/SolarCycle/ -- Solar Cycle Progression web site

http://spaceweather.gov/contacts.html -- Contact and Copyright information http://spaceweather.gov/weekly/Usr_guide.pdf -- User Guide

